Design for *Care Compare*Nursing Home Five-Star Quality Rating System:

Technical Users' Guide

April 2022



Table of Contents

| April 2022 Revisions | iii |
|---|-----|
| Quality Measure Rating Threshold changes | iii |
| January 2022 Revisions | iii |
| Public Reporting of Turnover and Weekend Staffing Information on Medicare.gov Care Compare Website: | iii |
| Changes to Exclusion Rules for Reported Staffing: | iii |
| Introduction | 1 |
| Methodology for Constructing Ratings | 2 |
| Health Inspection Domain | 2 |
| Staffing Domain | 6 |
| Quality Measure Domain | 12 |
| Overall Nursing Home Rating (Composite Measure) | 19 |
| Special Focus Facilities | 19 |
| Change in Nursing Home Rating | 20 |
| Appendices | 22 |

April 2022 Revisions

Quality Measure Rating Threshold changes

Effective with the April 2022 refresh, CMS is implementing the planned, regular increases to the Quality Measure (QM) rating thresholds, increasing each rating threshold by one-half of the average improvement in QM scores since the last time the thresholds were set. For the April 2022 refresh, the average improvement is determined from the period of April 2019 – January 2022. The new rating thresholds are shown in Table 6 of this document. Note that the point thresholds for individual QMs are not changing.

January 2022 Revisions

Public Reporting of Turnover and Weekend Staffing Information on Medicare.gov Care Compare Website:

Effective with the January 2022 refresh, CMS will begin posting the following information for each nursing home on the Medicare.gov Care Compare website:

Weekend Staffing: The level of total nurse and registered nurse (RN) staffing on weekends (Saturdays and Sundays) provided by each nursing home over a quarter.

Staff Turnover: The percentage of nursing staff and number of administrators that stopped working at the nursing home over a 12-month period.

While this information will be publicly reported starting in January, it will not be used in the Five-Star Quality Rating System until July 2022. The technical specifications for the measures of weekend staffing and staff turnover are included in the appendix of this Technical Users' Guide.

Changes to Exclusion Rules for Reported Staffing:

Several changes will be made to the exclusion rules for the total nursing and RN hours per resident day measures. These changes do not affect many nursing homes and are being made to allow staffing levels to be reported for more nursing homes.

Introduction

In December 2008, the Centers for Medicare & Medicaid Services (CMS) enhanced its *Nursing Home Compare*¹ public reporting site to include a set of quality ratings for each nursing home that participates in Medicare or Medicaid. The ratings take the form of several "star" ratings for each nursing home. The primary goal of this rating system is to provide residents and their families with an easy way to understand assessment of nursing home quality, making meaningful distinctions between high and low performing nursing homes.

This document provides a comprehensive description of the design for the Nursing Home Five-Star Quality Rating System. This design was developed by CMS with assistance from Abt Associates, invaluable advice from leading researchers in the long-term care field who comprise the Technical Expert Panel (TEP) for this project, and numerous ideas contributed by consumer and provider groups. All of these organizations and groups have continued to contribute their input as the rating system has been refined and updated to incorporate newly available data. We believe the rating system offers valuable and comprehensible information to consumers based on the best data available. It features an Overall Quality Rating of one to five stars based on nursing home performance on three domains, each of which has its own rating:

- Health Inspections Measures based on outcomes from state health inspections: Ratings for the health inspections domain are based on the number, scope, and severity of deficiencies identified during the three most recent annual inspection surveys, as well as substantiated findings from the most recent 36 months of complaint investigations and focused infection control surveys. All deficiency findings are weighted by scope and severity. The health inspections rating also takes into account the number of revisits required to ensure that deficiencies identified during health inspection surveys have been corrected.
- Staffing Measures based on nursing home staffing levels: Ratings for the staffing domain are based on two measures: 1) Registered nurse (RN) hours per resident per day; and 2) total nurse (the sum of RN, licensed practical nurse (LPN), and nurse aide) hours per resident per day. Other types of nursing home staff, such as clerical or housekeeping staff, are not included in the staffing rating calculation. The staffing measures are derived from data submitted each quarter through the Payroll-Based Journal (PBJ) System, along with daily resident census derived from Minimum Data Set, Version 3.0 (MDS 3.0) assessments, and are case-mix adjusted based on the distribution of MDS 3.0 assessments by Resource Utilization Groups, version IV (RUG-IV groups). In addition to the overall staffing rating, a separate rating for RN staffing is also reported.
- Quality Measures Measures based on MDS and claims-based quality measures (QMs):
 Ratings for the quality measures are based on performance on 15 of the QMs that are
 currently posted on the Care Compare website. These include nine long-stay measures and
 six short-stay measures. Note that not all of the quality measures that are reported on Care
 Compare are included in the rating calculations. In addition to an overall quality of resident

1

Nursing Home Compare was retired on December 1, 2020 and replaced with Care Compare, which can be accessed at https://www.medicare.gov/care-compare/.

care rating, separate ratings for the quality of resident care for short-stay residents and long-stay residents are also reported.

In recognition of the multi-dimensional nature of nursing home quality, *Care Compare* displays ratings for each of these domains along with an overall rating.

A companion document to this Technical Users' Guide (*Nursing Home Compare*—Five Star Quality Rating System: Technical Users' Guide—State-Level Cut Point Tables) provides the data for the state-level cut points for the health inspection star ratings. The data table in the companion document is updated monthly. The cut points for the staffing ratings are included in Tables 3 and 4 in this Technical Users' Guide. Table 6 provides the cut points for the QM ratings, and the cut points for the individual QMs are in Appendix Table A2.

Methodology for Constructing Ratings

Health Inspection Domain

Nursing homes that participate in the Medicare and/or Medicaid programs have an onsite recertification (standard) "comprehensive" inspection annually *on average*, with very rarely more than fifteen months elapsing between inspections for any one particular nursing home. Inspections are unannounced and are conducted by a team of health care professionals who spend several days in the nursing home to assess whether the nursing home is in compliance with federal requirements. These inspections provide a comprehensive assessment of the nursing home, reviewing facility practice and policies in such areas as resident rights, quality of life, medication management, skin care, resident assessment, nursing home administration, environment, and kitchen/food services. The methodology for constructing the health inspection rating is based on the three most recent recertification surveys for each nursing home, complaint deficiencies during the most recent three-year period, deficiencies cited on focused infection control surveys in the most recent three-year period, and any repeat revisits needed to verify that required corrections have brought the facility back into compliance. The Five-Star Quality Rating System uses nearly 400,000 records for the health inspection domain alone.

Scoring Rules

CMS calculates a health inspection score based on points assigned to deficiencies identified in each active provider's three most recent recertification health inspections, as well as on deficiency findings from the most recent three years of complaint inspections and findings from focused infection control surveys.

• Health Inspection Results: Points are assigned to individual health deficiencies according to their scope and severity –more serious, widespread deficiencies receive more points, with additional points assigned for substandard quality of care (see Table 1). If the status of the deficiency is "past non-compliance" and the severity is "immediate jeopardy" (i.e., J-, K- or L-level), then points associated with a G- level deficiency are assigned. Two types of health citations – F731 (Waiver of requirement to provide licensed nurses on a 24-hour basis) and F884 (COVID-19 reporting to the Centers for Disease Control) — are not considered in the health inspection score calculation (nor are these reported on Nursing Home Care Compare). Additionally, other health citations with a deficiency status code indicating that a waiver has been granted, while displayed on the website, are not included in the health inspection score. Deficiencies from Life Safety

surveys are not included in the Five-Star rating calculations. Deficiencies from Federal Comparative Surveys are not reported on Care *Compare* or included in rating calculations, though the results of State Survey Agency determinations made during a Federal Oversight Survey <u>are</u> included.

• Repeat Revisits - Number of repeat revisits required to confirm that correction of deficiencies have restored compliance: No points are assigned for the first revisit; points are assigned only for the second, third, and fourth revisits and are proportional to the health inspection score for the survey cycle (Table 2). If a provider fails to correct deficiencies by the time of the first revisit, then these additional revisit points are assigned up to 85 percent of the health inspection score for the fourth revisit. CMS' experience is that providers who fail to demonstrate restored compliance with safety and quality of care requirements during the first revisit have lower quality of care than other nursing homes. More revisits are associated with more serious quality problems.

Table 1
Health Inspection Score: Weights for Different Types of Deficiencies

| Severity | Scope | | | | |
|---|--------------------------------|----------------------------------|----------------------------------|--|--|
| Severity | Isolated | Pattern | Widespread | | |
| Immediate jeopardy to resident health or safety | J 50 points* (75 points) | K 100 points* (125 points) | L 150 points* (175 points) | | |
| Actual harm that is not immediate jeopardy | G 20 points | H 35 points (40 points) | I 45 points (50 points) | | |
| No actual harm with potential for more than minimal harm that is not immediate jeopardy | D 4 points | E 8 points | F 16 points (20 points) | | |
| No actual harm with potential for minimal harm | A 0 point | B 0 points | C 0 points | | |

Note: Figures in parentheses indicate points for deficiencies that are for substandard quality of care. Shaded cells denote deficiency scope/severity levels that constitute substandard quality of care. See the Electronic Code of Federal Regulations (https://www.ecfr.gov/cgi-bin/text-idx?SID=9c4d022241818fef427dc79565aba4b5&mc=true&node=pt42.5.488&rgn=div5#se42.5.488 1301) for a definition

Source: Centers for Medicare & Medicaid Services

Table 2
Weights for Repeat Revisits

of substandard quality of care.

| Revisit Number | Noncompliance Points |
|----------------|---------------------------------------|
| First | 0 |
| Second | 50 percent of health inspection score |
| Third | 70 percent of health inspection score |
| Fourth | 85 percent of health inspection score |

Note: The health inspection score includes points from deficiencies cited on the standard health inspection and complaint inspections during a given survey cycle.

^{*} If the status of the deficiency is "past non-compliance" and the severity is Immediate Jeopardy, then points associated with a 'G-level" deficiency (i.e., 20 points) are assigned.

CMS calculates a total weighted health inspection score for each facility (including any repeat revisits). Note that a lower survey score corresponds to fewer deficiencies and revisits, and thus better performance on the health inspection domain. In calculating the total weighted score, more recent standard surveys are weighted more heavily than earlier surveys with the most recent period (rating cycle 1) being assigned a weighting factor of 1/2, the previous period (rating cycle 2) having a weighting factor of 1/3, and the second prior period (rating cycle 3) having a weighting factor of 1/6. The individual weighted scores for each cycle are then summed (after including complaint surveys, focused infection control surveys, and revisit points) to create the total weighted health inspection score for each facility.

Complaint inspections and focused infection control surveys are assigned to a time period based on the 12-month period in which the complaint or infection control survey occurred. Complaint or focused infection control surveys that occurred within the most recent 12 months from when the data are uploaded receive a weighting factor of 1/2; those from 13-24 months ago have a weighting factor of 1/3, and those from 25-36 months ago have a weighting factor of 1/6. There are some deficiencies that appear on both standard and complaint inspections. To avoid potential double-counting, deficiencies that appear on complaint inspections that are conducted within 15 days of a recertification inspection (either prior to or after the recertification inspection) are counted only once. If the scope or severity differs between the two inspections, the highest scope-severity combination is used. Deficiencies cited on focused infection control surveys are treated slightly differently. If two or more infection control inspections cite the same deficiency within a 15-day period, all are included; however, if one or more of these deficiencies was also cited on a recertification survey and/or a complaint inspection within the same 15-day window, only the infection control citations are included. Points from complaint deficiencies and deficiencies cited on infection control surveys from a given period are added to the health inspection score before calculating revisit points, if applicable.

For facilities missing data for one period, the health inspection score is determined based on the periods for which data are available, using the same relative weights, with the missing (third) survey weight distributed proportionately to the existing two inspections using two survey cycles. Specifically, when there are only two recertification inspections, the most recent survey cycle receives 60 percent weight and the prior cycle receives 40 percent weight. Facilities with only one standard health inspection are considered to have insufficient data to determine a health inspection rating and their rating is set to missing for the health inspection domain. For these facilities, no overall quality rating is assigned, and no ratings are reported for the staffing or QM domains even if data for these domains are available. Care Compare will display "Not Available" for these facilities.

Rating Methodology

Health inspections are based on federal regulations, which surveyors implement using national interpretive guidance and a federally specified survey process. Federal staff train state inspectors and oversee state performance. The federal oversight includes quality checks based on a 5 percent sample of the health inspections performed by states, in which federal inspectors either accompany state inspectors or replicate the inspection within 60 days of the state and then compare results. These control systems are designed to improve consistency in the survey process. Nonetheless there remains variation among states in both inspection process and outcomes. Such variation derives from many factors, including:

- **Survey Management:** Variation among states in the skill sets of inspectors, supervision of inspectors, and the inspection processes;
- **State Licensure**: State licensing laws set forth different expectations for nursing homes and affect the interaction between state enforcement and federal enforcement (for example, a few

states conduct many complaint investigations based on state licensure, and issue citations based on state licensure rather than on the federal regulations);

• *Medicaid Policy:* Medicaid pays for the largest proportion of long-term care in nursing homes. Nursing home eligibility rules, payment, and other policies in the state-administered Medicaid program may be associated with differences in survey outcomes.

For the above reasons, CMS bases Five-Star quality ratings in the health inspection domain on the relative performance of facilities <u>within a state</u>. This approach helps control for variation among states. CMS determines facility ratings using these criteria:

- The top 10 percent (with the lowest health inspection weighted scores) in each state receive a health inspection rating of five stars.
- The middle 70 percent of facilities receive a rating of two, three, or four stars, with an equal number (approximately 23.33 percent) in each rating category.
- The bottom 20 percent receive a one-star rating.

Rating thresholds are re-calibrated each month so that the distribution of star ratings within states remains relatively constant over time. However, the rating for a given facility is held constant until there is a change in the weighted health inspection score for that facility, regardless of changes in the statewide distribution. Items that could change the health inspection score include the following:

- A new health inspection
- A complaint investigation or focused infection control survey that results in one or more deficiency citations
- A second, third, or fourth revisit
- Resolution of Informal Dispute Resolutions (IDR) or Independent Informal Dispute Resolutions (IIDR) resulting in changes to the scope and/or severity of deficiencies
- The "aging" of complaint and/or focused infection control deficiencies. Specifically, as noted above, findings from complaint and infection control surveys are assigned to a time period based on the 12-month period in which the survey occurred; thus, when a citation from a complaint or infection control survey ages into a different cycle, it receives less weight in the scoring process, resulting in a lower health inspection score and potentially a change in health inspection rating.

In the very rare case that a state or territory has fewer than five facilities upon which to generate the cut points, the national distribution of health inspection scores is used. Cut points for the health inspection ratings can be found in the Cut Point Table in the companion document to this Technical Users' Guide: Five Star Quality Rating System State-Level Cut Point Tables available in the 'downloads' section at: <a href="https://www.cms.gov/medicare/provider-enrollment-and-certification/certificationand-c

Rating Methodology for Facilities with Abuse Citation(s)

To make it easier for consumers to identify facilities with instances of non-compliance related to abuse, Care Compare includes an icon that identifies facilities that meet either of the following criteria:

- 1) Harm-level abuse citation in the most recent survey cycle: Facilities cited for abuse² where residents were found to be harmed (Scope/Severity of G or higher) on the most recent standard survey or on a complaint or focused infection control survey within the past 12 months.
- 2) Repeat abuse citations: Facilities cited for abuse where residents were found to be potentially harmed (Scope/Severity of D or higher) on the most recent standard survey or on a complaint or focused infection control survey within the past 12 months and on the previous (i.e., second most recent) standard survey or on a complaint survey in the prior 12 months (i.e., from 13 to 24 months ago).

Nursing homes that receive the abuse icon have their health inspection rating capped at a maximum of two stars. Due to the methodology used to calculate the overall rating, the best overall rating a facility that receives the abuse icon can have is four stars. The abuse icon (and the cap on the health inspection rating) will be removed as of the first monthly website refresh following when a nursing home no longer meets the abuse icon criteria.

Staffing Domain

There is considerable evidence of a relationship between nursing home staffing levels and resident outcomes. The CMS Staffing Study³, among other research, found a clear association between nurse staffing ratios and nursing home quality of care.

The rating for staffing is based on two quarterly case-mix adjusted measures:

- Total nursing hours per resident day (RN + LPN + nurse aide hours)
- RN hours per resident day

The source for reported staffing hours is the Payroll-Based Journal (PBJ) system⁴. These data are submitted quarterly and are due 45 days after the end of each reporting period. Only data submitted and accepted by the deadline are used by CMS for staffing calculations and in the Five-Star Rating System. The resident census is based on a daily resident census measure that is calculated by CMS using MDS assessments.

The specific PBJ job codes that are used in the RN, LPN, and nurse aide hour calculations are:

Note that abuse is identified as having received a deficiency of any of these tags: F600 (Protect each resident from all types of abuse, such as physical, mental, sexual abuse, physical punishment, and neglect by anybody); F602 (Protect each resident from the wrongful use of the resident's belongings or money); F603 (Protect each resident from separation from other residents, his/her room, or confinement to his/her room); F223 (Protect each resident from all abuse, physical punishment, and involuntary separation from others); and F224 (Protect each resident from mistreatment, neglect, and misappropriation of personal property).

³ Kramer AM, Fish R. "The Relationship Between Nurse Staffing Levels and the Quality of Nursing Home Care." Chapter 2 in Appropriateness of Minimum Nurse Staffing Ratios in Nursing Homes: Phase II Final Report. Abt Associates, Inc., Winter 2001.

More detailed information about the PBJ system is available at: https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/Staffing-Data-Submission-PBJ.html

- RN hours: Includes RN director of nursing (job code 5), registered nurses with administrative duties (job code 6), and registered nurses (job code 7).
- LPN hours: Includes licensed practical/licensed vocational nurses with administrative duties (job code 8) and licensed practical/vocational nurses (job code 9)
- Nurse aide hours: Includes certified nurse aides (job code 10), aides in training (job code 11), and medication aides/technicians (job code 12)

Note that the PBJ staffing data include both facility employees (full-time and part-time) and individuals under an organization (agency) contract or an individual contract. The PBJ staffing data do not include "private duty" nursing staff reimbursed by a resident or his/her family. Also not included are hospice staff and feeding assistants.

The daily resident census, used in the denominator of the reported nurse staffing ratios, is derived from MDS resident assessments and is calculated as follows:

- 1. Identify the reporting period (quarter) for which the census will be calculated (e.g., CY 2021 Q2: April 1–June 30, 2021).
- 2. Extract MDS assessment data for all residents of a facility beginning one year prior to the reporting period to identify all residents that *may* reside in the facility (i.e., any resident with an MDS assessment may still reside in the facility). For example, for the CY 2021 Q2 reporting period, extract MDS data from April 1, 2020 through June 30, 2021.
- 3. Identify discharged/deceased residents using the following criteria:
 - a) If a resident has an MDS Discharge assessment or Death in Facility tracking record, use the date reported on that assessment and assume that the resident no longer resides in the facility as of the date of discharge/death on the last assessment. In the case of discharges, if there is a subsequent admission assessment, then assume that the resident re-entered the nursing home on the entry date indicated on the entry assessment.
 - b) For any resident with an interval of 150 days or more with no assessments, assume the resident no longer resides in the facility as of the 150th day from the last assessment.
 (This assumption is based on the requirement for facilities to complete MDS assessments on all residents at least quarterly). If no assessment is present, assume the resident was discharged, but the facility did not transmit a Discharge assessment.

For any particular date, residents whose assessments do not meet the criteria in #3 above prior to that date are assumed to reside in the facility. The count of these residents is the census for that particular day.

MDS assessments for a given resident are linked using the Resident Internal ID. The Resident Internal ID is a unique number, assigned by the Quality Improvement Evaluation System (QIES) Assessment Submission and Processing (ASAP) system, which identifies a resident. The combination of state and Resident Internal ID uniquely identifies a resident in the national repository. The process by which the Resident Internal ID is created is described by the MDS 3.0 Provider User's Guide - Appendix B (https://qtso.cms.gov/system/files/qtso/Users_AppB.pdf). The following MDS items are used to define the Resident Internal ID:

- State ID
- Facility Internal ID (QIES ASAP system number)

- Social Security Number (SSN)
- Last Name
- First Name
- Date of Birth
- Gender

Therefore, in order to achieve an accurate census, it is imperative that, in addition to having complete assessment data for each resident including Discharge assessment data, residents are assigned correct Resident Internal IDs. To facilitate this, providers must ensure that MDS items, in particular the items indicated above, are entered correctly on each assessment. Providers must also carefully monitor the Final Validation Report, generated upon MDS submission, for any errors. Providers should work with their State RAI Coordinator or State Automation Coordinator to correct any errors that arise during assessment submission. In addition to using their Final Validation Report to validate the file structure and data content of each successful MDS submission, providers can monitor their MDS data using additional Certification and Survey Provider Enhanced Reports (CASPER) Reports. There are CASPER Reports for MDS Census Summary (returns resident count per day), MDS Census Detail (returns list of Resident Internal IDs counted per day), Admissions, Discharges, Duplicate Residents, Errors, and Daily Rosters, among others. Full descriptions of these reports are available in Section 6 of the CASPER Reporting MDS Provider User's Guide available at the following link: https://qtso.cms.gov/system/files/2018-03/cspr sec6 mds prvdr.pdf. Information about Final Validation Reports and error messages in the reports is available in Sections 4 and 5 of the MDS 3.0 Provider User's Guide (https://qtso.cms.gov/reference-and-manuals/mds-30-provider-users-guide).

The nurse staffing hours reported through PBJ and the daily MDS census are both aggregated (summed) across the quarterly reporting period. The quarterly reported nurse staffing hours per resident day are then calculated by dividing the aggregate reported hours by the aggregate resident census. Only days that have at least one resident are included in the calculations.

CMS uses a set of exclusion criteria to identify facilities with highly improbable PBJ staffing data and staffing data are not reported for these facilities ("Not Available" is displayed on the *Care Compare* website). Some of these nursing homes will also not receive a staffing rating; however, some will receive a one-star staffing rating due to scoring exceptions. The exclusion criteria are as follows:

- Total nurse staffing (job codes 5-12), aggregated over all days in the quarter with at least one resident, is zero (0 hours per resident per day).⁵
- Total nurse staffing (job codes 5-12), aggregated over all weekend days in the quarter with at least one resident, is zero (0 hours per resident per day).
- Total nurse staffing (job codes 5-12), aggregated over all days in the quarter with at least one resident, is excessively high (>12 hours per resident day).

Note that, prior to January 2022, nursing homes with total nurse staffing < 1.5 hours per resident day were excluded.

- Total nurse staffing (job codes 5-12), aggregated over all weekend days in the quarter with at least one resident, is excessively high (>12 hours per resident day).
- Nurse aide staffing (job codes 10-12), aggregated over all days in the quarter with at least one resident, is excessively high (>5.25 hours per resident day).
- Nurse aide staffing (job codes 10-12), aggregated over all weekend days in the quarter with at least one resident, is excessively high (>5.25 hours per resident day).

Case-Mix Adjustment

CMS adjusts the reported staffing ratios for case-mix, using the Resource Utilization Group (RUG-IV) case-mix system. The CMS Staff Time Resource Intensity Verification (STRIVE) Study measured the average number of RN, LPN, and nurse aide minutes associated with each RUG-IV group (using the 66 group version of RUG-IV). These are referred to as "case-mix hours".

CMS calculates case-mix adjusted hours per resident day for each facility for each staff type using this formula:

Hours Adjusted = (Hours Reported/Hours Case-Mix) * Hours National Average

The reported hours are those reported by the facility through PBJ as described above. National average hours for a given staff type represent the national mean of case-mix hours across all facilities active on the last day of the quarter that submitted valid nurse staffing data for the quarter. The National Average Hours are updated every quarter and will be available in the State US Averages table in the Provider Data Catalog on CMS.gov (https://data.cms.gov/provider-data/).

The case-mix values for each nursing home are based on the daily distribution of residents by RUG-IV group in the quarter covered by the PBJ reported staffing and estimates of daily RN, LPN, and nurse aide hours from the CMS STRIVE Study (see Table A1). Specifically, case-mix nurse staffing hours per resident day for a given nursing home are calculated as follows:

- 1) The MDS is used to assign a RUG-IV group to each resident for each day in the quarter. The method is similar to that used for calculating the daily MDS census and is described below.
- 2) This information is aggregated to generate a count of residents in each of the 66 RUG-IV groups in the nursing home for each day in the quarter. RUG-IV groups that are not represented on a given day are assigned a count of zero. Residents for whom there is insufficient MDS information to assign a RUG-IV category are not included.
- 3) Based on the number of residents in each RUG-IV group, case-mix total nursing and RN hours are calculated by multiplying by nursing time estimates for each RUG-IV group from the STRIVE study (Table A1).
- 4) Aggregate case-mix nursing and RN hours for the quarter are calculated by summing across all days and RUG-IV groups. These are the numerators in the calculations of case-mix total nursing and RN hours per resident day. The denominator for these calculations is the count of the total number of resident-days in the quarter for which there is a valid RUG-IV group.

Note that the term "case-mix hours" replaces the term "expected hours" that was used prior to April 2019.

5) Case-mix total nursing and RN hours per resident day for each nursing home are calculated by dividing aggregate case-mix hours (total nursing or RN) by the number of resident-days.

To determine the number of residents in each RUG-IV grouping for each day of the quarter for each nursing home, the same algorithm is used as that used to generate the daily MDS census (with slight adjustment to count RUG-IV groupings specifically, instead of just counting residents):

- 1) Identify the reporting period (quarter) for which the RUG groupings will be collected (e.g., CY 2021 Q2: April 1–June 30, 2021).
- 2) Extract MDS assessment data (including RUG-IV 66 Hierarchical group) for all residents of a facility beginning one year prior to the reporting period to identify all residents that may reside in the nursing home (i.e., any resident with an MDS assessment may still reside in the nursing home). For example, for the CY 2021 Q2 reporting period, MDS data from April 1, 2020 through June 30, 2021 were extracted.
- 3) Identify discharged/deceased residents using the following criteria:
 - a) If a resident has an MDS Discharge assessment or Death in Facility tracking record, use the date reported on that assessment and assume that the resident no longer resides in the nursing home as of the date of discharge/death on the last assessment. In the case of discharges, if there is a subsequent admission assessment, then assume that the resident re-entered the nursing home on the entry date indicated on the admission assessment.
 - b) For any resident with an interval of 150 days or more with no MDS assessments, assume the resident no longer resides in the nursing home as of the 150th day from the last assessment. (This assumption is based on the requirement for facilities to complete MDS assessments on all residents at least quarterly). If no assessment is present, it is assumed the resident was discharged, but the nursing home did not transmit a Discharge assessment.

For any particular date, residents whose assessments do not meet the criteria in #3 above prior to that date are assumed to reside in the nursing home. The RUG IV 66 Hierarchical group assigned to those residents on their most recent assessments as of that date are used to determine the RUG-IV distribution for that nursing home on that date. The calculations of "case-mix", "reported", and "national average" hours are made separately for RNs and for all nursing staff. Adjusted hours are also calculated for both groups using the formula provided earlier in this section.

A downloadable file that contains the "case-mix", "reported" and "adjusted" hours used in the staffing calculations is included in the nursing home provider information data table available in the Provider Data Catalog on CMS.gov (https://data.cms.gov/provider-data/).

Scoring Rules

For both RN staffing and total staffing, a rating of 1 to 5 stars is assigned. Rating cut points are set using a percentile-based method that was developed taking account of clinical evidence on the relationship between staffing and quality (Table 3). For each nursing home, the overall staffing rating is assigned based on the combination of the total and RN staffing ratings (Table 4).

The staffing cut points (boundaries between rating categories) were determined using the data available as of April 2019, which covers 2018Q4.

Table 3

National Star Cut Points for Staffing Measures, Based on Adjusted Hours per Resident Day (updated April 2019)

| Staff type | 1 star | 2 stars | 3 stars | 4 stars | 5 stars |
|------------|---------|---------------|---------------|---------------|-------------------|
| RN | < 0.317 | 0.317 - 0.507 | 0.508 - 0.730 | 0.731 - 1.048 | <u>></u> 1.049 |
| Total | < 3.108 | 3.108 - 3.579 | 3.580 - 4.037 | 4.038 - 4.407 | <u>></u> 4.408 |

Note: Adjusted staffing values are rounded to three decimal places before the cut points are applied.

Rating Methodology

The overall staffing rating is based on the combination of RN and total nurse staffing ratings as shown in Table 4. In most cases the overall staffing rating is the arithmetic average of the RN and total nurse staffing rating. However, in cases where this average is not a whole number, the overall staffing rating "rounds towards" the RN staffing rating. For example, if a nursing home earns 4 stars on total staffing and 5 stars on RN staffing, the average would be 4.5. This is rounded towards the RN rating value (i.e., 5) and the nursing home would receive a 5-star overall staffing rating. These rules are reflected in Table 4.

Table 4
Staffing and Rating (updated April 2019)

| RN r | ating and hours | Total nurse staffing rating and hours (RN, LPN and nurse aide) | | | | |
|------|-----------------|--|---------------|---------------|---------------|-------------------|
| | | 1 | 2 | 3 | 4 | 5 |
| | | < 3.108 | 3.108 - 3.579 | 3.580 - 4.037 | 4.038 - 4.407 | <u>></u> 4.408 |
| 1 | < 0.317 | * | * | ** | ** | *** |
| 2 | 0.317 - 0.507 | ** | ** | ** | *** | *** |
| 3 | 0.508 - 0.730 | ** | *** | *** | *** | **** |
| 4 | 0.731 - 1.048 | *** | *** | *** | *** | **** |
| 5 | <u>≥</u> 1.049 | *** | **** | **** | **** | **** |

Note: Adjusted staffing values are rounded to three decimal places before the cut points are applied.

Scoring Exceptions

The following exceptions to the scoring rules described above for assigning the staffing rating and RN staffing rating are made:

- Providers that fail to submit any staffing data by the required deadline will receive a one-star rating for overall staffing and RN staffing for the quarter.
- Providers that submit staffing data indicating that there were four or more days in the quarter with no RN staffing hours (job codes 5-7) on days when there were one or more residents in the nursing home will receive a one-star rating for overall staffing and RN staffing for the quarter.
- CMS conducts audits of nursing homes to verify the data submitted and to ensure accuracy. Facilities that fail to respond to these audits and those for which the audit identifies

significant discrepancies between the hours reported and the hours verified will receive a onestar rating for overall staffing and RN staffing for three months from the time at which the deadline to respond to audit requests passes or discrepancies are identified. If repeat audits identify the same discrepancy, the timeframe for the staffing rating downgrade may be extended.

Quality Measure Domain

A set of quality measures (QMs) has been developed from Minimum Data Set (MDS) and Medicare claims data to describe the quality of care provided in nursing homes. These measures address a broad range of function and health status indicators. Most nursing homes will have three QM ratings—an overall QM rating, a long-stay QM rating, and a short-stay QM rating. For nursing homes that have only long-stay or only short-stay QMs, the overall QM rating is equal to their long-stay or short-stay QM rating. QM ratings are based on performance on a subset of 10 MDS-based QMs and five measures that are created using Medicare claims. These measures were selected for use in the rating system based on their validity and reliability, the extent to which nursing home practice may affect the measures, statistical performance, and the importance of the measures.

Measures for Long-Stay residents (defined as residents who are in the nursing home for greater than 100 days) that are derived from MDS assessments:

- Percentage of long-stay residents whose need for help with daily activities has increased
- Percentage of long-stay residents whose ability to move independently worsened
- Percentage of long-stay high-risk residents with pressure ulcers
- Percentage of long-stay residents who have or had a catheter inserted and left in their bladder
- Percentage of long-stay residents with a urinary tract infection
- Percentage of long-stay residents experiencing one or more falls with major injury
- Percentage of long-stay residents who got an antipsychotic medication

Measures for Long-Stay residents that are derived from claims data:

- Number of hospitalizations per 1,000 long-stay resident days
- Number of outpatient emergency department (ED) visits per 1,000 long-stay resident days

Measures for Short-Stay residents that are derived from MDS assessments:

- Percentage of short-stay residents who improved in their ability to move around on their own
- Percentage of Skilled Nursing Facility (SNF) residents with pressure ulcers/pressure injuries that are new or worsened
- Percentage of short-stay residents who got antipsychotic medication for the first time

Measures for Short-Stay residents that are derived from claims data:

• Percentage of short-stay residents who were re-hospitalized after a nursing home admission

- Percentage of short-stay residents who have had an outpatient emergency department (ED) visit
- Rate of successful return to home and community from a SNF

Table 5 contains more detailed information on these measures. Technical specifications for all of the measures are available in the downloads section at https://www.cms.gov/medicare/quality-initiatives-patient-assessment-instruments/nursinghomequalityinits/nhqiqualitymeasures.html.

Values for four of the MDS-based QMs (Percentage of long-stay residents whose ability to move independently, Percentage of long-stay residents who have or had a catheter inserted and left in their bladder, Percentage of short-stay residents who improved in their ability to move around on their own, Percentage of SNF residents with pressure ulcers/pressure injuries that are new or worsened) are risk adjusted, using resident-level covariates that adjust for resident factors associated with differences in the performance on the QM. For example, the catheter risk-adjustment model takes into account whether or not residents had bowel incontinence or pressure sores on the prior assessment. All of the claims-based measures are risk adjusted. Risk-adjustment for the hospitalization and ED visit measures incorporates items from Medicare enrollment data and Part A claims and information from the first MDS assessment associated with the nursing home stay. Risk adjustment for the rate of successful return to home and community from a SNF measure uses data derived from Medicare enrollment data and Part A claims. The risk-adjustment methodology is described in more detail in the technical specification documents referenced above. CMS calculates ratings for the QM domain using the four most recent quarters for which data are available (except the rate of successful return to home and community from a SNF that uses a two-year period). The time period specifications were selected to increase the number of assessments available for calculating the QM rating. This increases the stability of estimates and reduces the amount of missing data. The adjusted four-quarter QM values for each of the MDS-based QMs used in the five-star algorithm, except the short-stay pressure ulcer/injury measure are computed as follows:

$$QM_{4Quarter} = [(QM_{Q1} * D_{Q1}) + (QM_{Q2} * D_{Q2}) + (QM_{Q3} * D_{Q3}) + (QM_{Q4} * D_{Q4})]/(D_{Q1} + D_{Q2} + D_{Q3} + D_{Q4})$$

Where QM $_{Q1}$, QM $_{Q2}$, QM $_{Q3}$, and QM $_{Q4}$ correspond to the adjusted QM values for the four most recent quarters and D_{Q1} , D_{Q2} , and D_{Q3} D_{Q4} are the denominators (number of eligible residents for the particular QM) for the same four quarters.

Values for the claims-based measures and the short-stay pressure ulcer/pressure injury measure are calculated in a similar manner, except that the data used to calculate the measures use a full year (or two years) of data rather than being broken out separately by quarter.

| Table 5 Quality Measures Used in the Five-Star Quality Measure Rating Calculation | | | | |
|---|---|--|--|--|
| Measure Comments | | | | |
| MDS Long-Stay Measures | | | | |
| Percentage of residents whose ability to move independently worsened | This measure is a change measure that reports the percentage of long-stay residents who have demonstrated a decline in independence of locomotion when comparing the target assessment to a prior assessment. Residents who lose mobility may also lose the ability to perform other activities of daily living, like eating, dressing, or getting to the bathroom. | | | |

| Table 5 Quality Measures Us | Table 5 Quality Measures Used in the Five-Star Quality Measure Rating Calculation | | | | | |
|--|---|--|--|--|--|--|
| Measure | Comments | | | | | |
| Percentage of residents whose need for help with daily activities has increased | This measure reports the percentage of long-stay residents whose need for help with late-loss Activities of Daily Living (ADLs) has increased when compared to the prior assessment. This is a change measure that reflects worsening performance on at least two late loss ADLs by one functional level or on one late loss ADL by more than one functional level compared to the prior assessment. The late loss ADLs are bed mobility, transfer, eating, and toileting. Maintenance of ADLs is related to an environment in which the resident is up and out of bed and engaged in activities. The CMS Staffing Study found that higher staffing levels were associated with lower rates of increasing ADL dependence. | | | | | |
| Percentage of high-risk residents with pressure ulcers | This measure captures the percentage of long-stay, high-risk residents with Stage II-IV or unstageable pressure ulcers. Residents at high risk for pressure ulcers are those who are impaired in bed mobility or transfer, who are comatose, or who suffer from malnutrition. | | | | | |
| Percentage of residents who have/had a catheter inserted and left in their bladder | This measure reports the percentage of residents who have had an indwelling catheter in the last seven days. Indwelling catheter use may result in complications, like urinary tract or blood infections, physical injury, skin problems, bladder stones, or blood in the urine. | | | | | |
| Percentage of residents with a urinary tract infection | This measure reports the percentage of long-stay residents who have had a urinary tract infection within the past 30 days. Urinary tract infections can often be prevented through hygiene and drinking enough fluid. Urinary tract infections are relatively minor but can lead to more serious problems and cause complications like delirium if not treated. | | | | | |
| Percentage of residents experiencing one or more falls with major injury | This measure reports the percentage of long-stay residents who have experienced one or more falls with major injury reported in the target period or look-back period (one full calendar year). | | | | | |
| Percentage of residents who got an antipsychotic medication | This measure reports the percentage of long-stay residents who are receiving antipsychotic drugs in the target period. Reducing the rate of antipsychotic medication use has been the focus of several CMS initiatives. | | | | | |

| Table 5 Quality Measures Used in the Five-Star Quality Measure Rating Calculation | | | | |
|--|---|--|--|--|
| Measure | Comments | | | |
| Claims-Based Long-Stay Mea | sures | | | |
| Number of hospitalizations per 1,000 resident days | This measures the number of unplanned inpatient admissions or outpatient observation stays that occurred among long-stay residents of a nursing home during a one-year period, expressed as the number of unplanned hospitalizations for every 1,000 days that the long-stay residents were admitted to the nursing home. | | | |
| Number of outpatient emergency department (ED) visits per 1,000 resident days | This measures the number of outpatient ED visits that occurred among long-stay residents of a nursing home during a one-year period, expressed as the number of outpatient ED visits for every 1,000 days that the long-stay residents were admitted to the nursing home. | | | |
| MDS Short-Stay Measures | | | | |
| Percentage of residents who improved in their ability to move around on their own | This measure assesses the percentage of short-stay residents whose independence in three mobility functions (i.e., transfer, locomotion, and walking) increases over the course of the nursing home care episode. | | | |
| Percentage of SNF residents with pressure ulcers/pressure injuries that are new or worsened | This measure captures the percentage of short-stay residents with pressure ulcers that are new or whose existing pressure ulcers worsened during their stay in the SNF and includes unstageable ulcers. | | | |
| Percentage of residents who antipsychotic medication for the first time | This measure reports the percentage of short-stay residents who are receiving an antipsychotic medication during the target period but not on their initial assessment. | | | |
| Claims-Based Short-Stay Mea | | | | |
| Percentage of short-stay residents who were re- hospitalized after a nursing home admission | This measure reports the percentage of all new admissions or readmissions to a nursing home from a hospital where the resident was re-admitted to a hospital for an inpatient or observation stay within 30 days of entry or reentry. | | | |
| Percentage of short-stay residents who have had an outpatient emergency department (ED) visit | This measure reports the percentage of all new admissions or readmissions to a nursing home from a hospital where the resident had an outpatient ED visit (i.e., an ED visit not resulting in an inpatient hospital admission) within 30 days of entry or reentry. | | | |
| Rate of successful return to home and community from a SNF | This measure reports the rate at which residents returned to home and community with no unplanned hospitalizations and no deaths in the 31 days following discharge from the SNF. | | | |

Missing Data and Imputation

MDS-based measures are reported if the measure can be calculated for at least 20 residents' assessments (summed across **four** quarters of data to enhance measurement stability) for both the long- and short-stay QMs. The short-stay claims-based measures are reported if the measure can be calculated for at least 20 nursing home stays over the course of the year. The long-stay claims-based measures are reported if the measure can be calculated for at least 20 nursing home stays over the course of the year.

For facilities with missing data or an inadequate denominator size for one or more QMs meeting the criteria described below, all available data from the nursing home are used. The remaining assessments (or stays) are imputed to get the nursing home to the minimum required sample size of 20. Missing values are imputed based on the statewide average for the measure. For example, if a nursing home had actual data for 12 resident assessments, the data for those 12 assessments would be used and the remaining eight assessments would be imputed using the state average to get to the minimum sample size required to include the measure in the scoring for the QM rating. The imputation strategy for the missing values depends on the pattern of missing data.

- For facilities that have an adequate denominator size for at least five of the nine long-stay QMs, values are imputed for the long-stay measures with fewer than 20 assessments or residents as described above. Points are then assigned for all nine long-stay QMs according to the scoring rules described below.
- For facilities that have an adequate denominator size for at least four of the six short-stay QMs, values are imputed for the short-stay measures with smaller denominators as described above. Points are then assigned for all six short-stay QMs according to the scoring rules described below.
- For facilities that do not have an adequate denominator size for at least five long-stay QMs but that have an adequate denominator size for four or more short-stay QMs, the QM rating is based on the short-stay measures only. Values for the missing long-stay QMs are not imputed. No long-stay QM rating is reported, and no long-stay measures are used in determining the overall QM rating.
- Similarly, for facilities that do not have an adequate denominator size for at least four short-stay QMs but that have an adequate denominator size for five or more long-stay QMs, the QM rating is based on the long-stay measures only. Values for the missing short-stay QMs are not imputed. No short-stay QM rating is reported, and no short-stay measures are used in determining the overall QM rating.

Note that while values are imputed according to the rules described above for the purposes of assigning points for the QM score, data for QMs that use imputed data are not reported on the *Care Compare* website nor included in the downloadable databases available at https://data.cms.gov/provider-data/. QM values are publicly reported only for providers meeting the minimum denominator requirements prior to any imputation.⁷

Scoring Rules for the Individual QMs

Two different sets of weights are used for assigning QM points to individual QMs. Some measures have a maximum score of 150 points while the maximum number of points for other measures is 100. The weight for each measure was determined based on the opportunity for nursing homes to improve on the measure and the clinical significance of the measure based on expert feedback. For measures that have a maximum score of 150 points, the points are determined based on deciles. Quintiles are used for measures that have a maximum score of 100 points. For all measures, points are calculated based on performance relative to the national distribution of the measure. Points are assigned after any needed imputation of individual QM values, with the points determined using this methodology:

• For long-stay ADL worsening, long-stay antipsychotic medication, long-stay mobility decline, the two claims-based long-stay measures, the percentage of short-stay residents who improved in their ability to move around on their own, and the three claims-based short-stay measures: nursing homes are grouped into deciles based on the national distribution of the QM. Nursing homes in the lowest performing decile receive 15 points for the measure. Points are increased in 15-point intervals for each decile so that nursing homes in the highest performing decile receive 150 points.

16

Note that for the rate of successful return to home and community from a SNF, the minimum sample size for publicly reporting the measure is 25.

- For long-stay pressure ulcer, long-stay catheter, long-stay urinary tract infections, long-stay falls, short-stay pressure ulcer/pressure injury, and short-stay antipsychotic medication: nursing homes are grouped into quintiles based on the national distribution of the QM. The quintiles are assigned 20 points for the lowest performing quintile, 100 points for the highest performing quintile, and 40, 60 or 80 points for the second, third and fourth quintiles respectively.
- For two 100-point measures that have more than 20 percent of nursing homes with a QM value of 0 (short-stay pressure ulcers/injuries and short-stay antipsychotic measures), all nursing homes with a QM value of 0 are awarded 100 points, and the remaining nursing homes are divided to maintain as close to even quintiles as possible.

Note that, for all of the measures, the groupings are based on the national distribution of the QMs, prior to any imputation. For most of the MDS-derived QMs, the cut points are based on the QM distributions averaged across the four quarters from Quarter 4 of 2017 to Quarter 3 of 2018. For short-stay pressure ulcers/pressure injuries, the cut points are based on the national distribution of the measure calculated for the period of Quarter 1 2019 through Quarter 4 2019. For the rate of successful return to home and community from a SNF measure, the cut points are based on the national distribution of the measure calculated for the period Quarter 4 of 2016 through Quarter 3 of 2017. For the other four claims-based QMs (except rate of successful return to home and community from a SNF), the cut points are based on the national distribution of the measures calculated for the period of Quarter 4 of 2017 through Quarter 3 of 2018. The points associated with each individual QM are listed in Appendix Table A2.

Quality Measures with a maximum score of 150 points:

Long-stay

Percentage of residents whose need for help with daily activities increased

Percentage of residents who received an antipsychotic medication

Percentage of residents whose ability to move independently worsened

Number of hospitalizations per 1,000 resident days

Number of outpatient emergency department (ED) visits per 1,000 resident days

Short-stay

Percentage of residents who improved in their ability to move around on their own

Rate of successful return to home and community from a SNF

Percentage of short-stay residents who were re-hospitalized after a nursing home admission

Percentage of short-stay residents who have had an outpatient emergency department (ED) visit

Quality Measures with maximum score of 100 points:

Long-stay

Percentage of residents experiencing one or more falls with major injury

Percentage of high-risk residents with pressure ulcers

Percentage of residents with a urinary tract infection

Percentage of residents who have or had a catheter inserted and left in their bladder

Short-stay

Percentage of residents who got an antipsychotic medication for the first time

Percentage of SNF residents with pressure ulcers/pressure injuries that are new or worsened

Rating Methodology

After any needed imputation for individual QMs, points are summed across all of the long-stay QMs, all of short-stay QMs, as well as across all QMs based upon the scoring rules described above to create a

long-stay QM score, a short-stay QM score, and a total QM score for each nursing home. The long-stay QM score ranges between 155 and 1,150. Due to differences in number of measures and weights, the *unadjusted* short-stay QM score has a maximum of 800 points. So that the long- and short-stay measures can count equally in the calculation of the total QM score, an adjustment factor of 1,150/800 is applied to the unadjusted total short-stay score. After applying this adjustment, the adjusted short-stay score ranges from 144 to 1,150⁸. The total overall QM score, which sums the total long-stay score and the total adjusted short-stay score, ranges between 299 and 2,300.

Facilities that receive an overall QM rating are in one of the following categories:

- They have points for all of the QMs.
- They have points for only the nine long-stay QMs (long-stay facilities).
- They have points for only the six short-stay QMs (short-stay facilities).
- They do not have sufficient data for either the long-stay or the short-stay QMs. No QM ratings are generated for these nursing homes.

Once the long-stay, short-stay, and overall QM scores are computed for each nursing home as described above, a long-stay QM rating is assigned to nursing homes that have long-stay QM scores; a short-stay QM rating is assigned to nursing homes that have short-stay QM scores, and an overall QM star rating is assigned using the methodology previously described using the point thresholds shown in Table 6.

Table 6
Point Ranges for the QM Ratings (as of April 2022)

| QM Rating | Long-Stay QM Rating Thresholds | Short-Stay QM Rating Thresholds | Overall QM Rating Thresholds |
|-----------|--------------------------------------|---------------------------------------|------------------------------------|
| * | 155–477 | 144–488 | 299–966 |
| ** | 478–574 | 489–585 | 967–1,160 |
| *** | 575–655 | 586–674 | 1,161–1,330 |
| *** | 656–746 | 675–762 | 1,331–1,509 |
| **** | 747–1,150 | 763–1,150 | 1,510–2,300 |

Note: the short-stay QM rating thresholds are based on the adjusted scores (after applying the factor of 1,150/800 to the unadjusted scores)

⁸ The unadjusted total short-stay score ranges from 100 to 800.

Overall Nursing Home Rating (Composite Measure)

Based on the star ratings for the health inspection domain, the staffing domain and the quality measure domain, CMS assigns the overall Five-Star rating in three steps:

Step 1: Start with the health inspection rating.

Step 2: Add one star to the Step 1 result if the staffing rating is four or five stars **and greater than** the health inspection rating; subtract one star if the staffing rating is one star. The overall rating cannot be more than five stars or less than one star.

Step 3: Add one star to the Step 2 result if the quality measure rating is five stars; subtract one star if the quality measure rating is one star. The overall rating cannot be more than five stars or less than one star.

Note: If the health inspection rating is one star, then the overall rating cannot be upgraded by more than one star based on the staffing and quality measure ratings.

The rationale for upgrading nursing homes in <u>Step 2</u> that receive a rating of four of five stars for staffing (rather than limiting the upgrade to those with five stars) is that the criteria for the staffing rating is quite stringent. However, requiring that the staffing rating be greater than the health inspection rating in order for the overall rating to be increased ensures that a nursing home with a four-star health inspection rating, a four-star staffing rating and a quality measure rating of fewer than five stars does not receive an overall rating of five stars.

The rationale for limiting star rating upgrades is that the staffing and quality measure domains should not significantly outweigh the rating from actual onsite visits from trained surveyors who have found very serious quality of care problems. Since the health inspection rating is heavily weighted toward the most recent findings, a health inspection rating of one star reflects both a serious and recent finding.

The method for determining the overall nursing home rating does not assign specific weights to the health inspection, staffing, and QM domains. The health inspection rating is the most important dimension in determining the overall rating but, depending on the performance on the staffing and QM domains, the overall rating for a nursing home may be increased or decreased by up to two stars.

If a nursing home has no health inspection rating, then no overall rating is assigned. If a nursing home has no health inspection rating because it is too new to have two standard surveys, then no ratings for any domain are displayed.

Special Focus Facilities

Nursing homes that are current participants in the Special Focus Facility (SFF) program will not be assigned overall ratings or ratings in any domain. A yellow warning sign is displayed instead of the overall rating and "Not Available" is displayed in place of the ratings for all other domains.

Change in Nursing Home Rating

Facilities may see a change in their overall rating for a number of reasons. Since the overall rating is based on three individual domains, a change in any one of the domains can affect the overall rating. Any new data for a nursing home could potentially change a star rating domain.

Health inspection rating changes: Events that could change the health inspection score include:

- A new health inspection.
- New complaint deficiencies.
- New focused infection control survey deficiencies.
- A second, third, or fourth revisit.
- Resolution of Informal Dispute Resolutions (IDR) or Independent Informal Dispute Resolutions (IIDR) resulting in changes to the scope and/or severity of deficiencies.
- The "aging" of complaint and focused infection control survey deficiencies. Another reason the health inspection data (and therefore the rating) for a nursing home may change is the "aging" of one or more complaint or focused infection control survey deficiencies. Specifically, these citations are assigned to a time period based on the 12-month period in which the complaint investigation or focused infection control survey occurred. Thus, when a complaint or focused infection control survey deficiency ages into a prior period, it receives less weight in the scoring process and thus the weighted health inspection score may change and be compared to the state distribution at that time.
- If a nursing home newly qualifies for the abuse icon, the health inspection rating is capped at two stars, and this may cause a change in the overall rating. Similarly, when a nursing home no longer qualifies for the abuse icon, the health inspection rating may change.

Health inspection data will be included as soon as they become part of the CMS database. The timing for this can vary by state and depends on having the complete survey package for the State Survey Agency to upload to the national database. Additional inspection data may be added to the database at any time because of complaint investigations, outcomes of revisits, Informal Dispute Resolutions (IDR), or Independent Informal Dispute Resolutions (IIDR). These data may not be added in the same cycle as the standard inspection data.

Since the cut-points between star categories for the health inspection rating are based on percentile distributions that are not fixed, those cut-points may vary slightly depending on the current nursing home distribution in the database. However, while the cut-points for the health inspection ratings may change from month to month, the rating for a given facility is held constant until there is a change in the weighted health inspection score for that nursing home.

Staffing rating changes: PBJ staffing data are reported quarterly, so new staffing measures and ratings are calculated and posted quarterly. Changes in a nursing home's staffing measure or rating may be due to differences in the number of hours submitted for staff, changes in the daily census, or changes in the resident case-mix from the previous quarter. Additionally, the audit process may lead to a change in the staffing rating for a facility.

Quality Measure rating changes: Data for the MDS-based QMs and the claims-based hospitalization and ED visit measures are updated quarterly, and the QM rating is updated at the same time. The updates typically occur in January, April, July, and October at the time of the Care Compare website refresh. Changes in the quality measures may change the star ratings.

Appendices

Table A1
Case-Mix Nursing Minutes by RUG-IV Group and Nursing Staff Type

| | | STRIVE Study Average Times (Minutes) | | | | |
|-------------------------|----------------|--------------------------------------|--------|-------------------|------------|------------------------------|
| Major RUG Group | RUG-IV Code | RN | LPN | Total Licensed | Nurse Aide | Total Nurse (RN+LPN+Aide) |
| | RUX | 68.37 | 111.44 | 179.81 | 131.11 | 310.92 |
| | RUL | 109.06 | 63.87 | 172.93 | 199.94 | 372.87 |
| | RVX | 29.24 | 95.88 | 125.12 | 145.94 | 271.06 |
| | RVL | 67.74 | 97.39 | 165.13 | 139.99 | 305.12 |
| Rehab Plus Extensive | RHX | 128.79 | 51.92 | 180.71 | 155.24 | 335.95 |
| Extensive | RHL | 67.28 | 48.41 | 115.69 | 135.32 | 251.01 |
| | RMX | 97.54 | 74.61 | 172.15 | 148.44 | 320.59 |
| | RML | 133.82 | 84.01 | 217.83 | 153.24 | 371.07 |
| | RLX | 133.82 | 84.01 | 217.83 | 153.24 | 371.07 |
| | RUC | 27.80 | 66.41 | 94.21 | 148.95 | 243.16 |
| | RUB | 45.01 | 71.09 | 116.10 | 141.03 | 257.13 |
| | RUA | 35.18 | 54.55 | 89.73 | 101.01 | 190.74 |
| | RVC | 34.22 | 68.45 | 102.67 | 156.53 | 259.20 |
| | RVB | 28.86 | 56.56 | 85.42 | 119.90 | 205.32 |
| | RVA | 31.30 | 59.35 | 90.65 | 113.73 | 204.38 |
| Dahah | RHC | 36.62 | 54.88 | 91.50 | 156.14 | 247.64 |
| Rehab | RHB | 36.42 | 47.88 | 84.30 | 119.48 | 203.78 |
| | RHA | 27.09 | 51.76 | 78.85 | 99.82 | 178.67 |
| | RMC | 32.58 | 56.05 | 88.63 | 148.87 | 237.50 |
| | RMB | 32.10 | 55.47 | 87.57 | 134.74 | 222.31 |
| | RMA | 25.99 | 48.79 | 74.78 | 98.81 | 173.59 |
| | RLB | 33.86 | 44.58 | 78.44 | 185.83 | 264.27 |
| | RLA | 15.46 | 43.58 | 59.04 | 118.93 | 177.97 |
| False | ES3 | 130.49 | 58.49 | 188.98 | 152.12 | 341.10 |
| Extensive Services | ES2 | 65.19 | 75.23 | 140.42 | 146.65 | 287.07 |
| Services | ES1 | 72.81 | 49.49 | 122.30 | 127.62 | 249.92 |
| | HE2 | 21.25 | 67.93 | 89.18 | 190.47 | 279.65 |
| | HD2 | 41.89 | 70.63 | 112.52 | 153.76 | 266.28 |
| | HC2 | 35.13 | 53.63 | 88.76 | 154.72 | 243.48 |
| Special Care | HB2 | 60.64 | 67.91 | 128.55 | 133.86 | 262.41 |
| High | HE1 | 19.20 | 67.73 | 86.93 | 149.47 | 236.40 |
| | HD1 | 16.89 | 54.54 | 71.43 | 141.80 | 213.23 |
| | HC1 | 22.43 | 54.17 | 76.60 | 135.33 | 211.93 |
| | HB1 | 21.65 | 50.50 | 72.15 | 106.77 | 178.92 |

| | | STRIVE Study Average Times (Minutes) | | | | |
|-------------------------|----------------|--------------------------------------|-------|-------------------|------------|------------------------------|
| Major RUG Group | RUG-IV Code | RN | LPN | Total Licensed | Nurse Aide | Total Nurse (RN+LPN+Aide) |
| | LE2 | 22.16 | 58.83 | 80.99 | 176.15 | 257.14 |
| | LD2 | 19.59 | 58.10 | 77.69 | 153.29 | 230.98 |
| | LC2 | 27.44 | 47.80 | 75.24 | 116.12 | 191.36 |
| Special Care | LB2 | 29.52 | 50.73 | 80.25 | 128.44 | 208.69 |
| Low | LE1 | 22.11 | 52.25 | 74.36 | 143.41 | 217.77 |
| | LD1 | 11.78 | 43.94 | 55.72 | 130.80 | 186.52 |
| | LC1 | 15.72 | 46.56 | 62.28 | 124.77 | 187.05 |
| | LB1 | 18.99 | 48.66 | 67.65 | 106.16 | 173.81 |
| | CE2 | 21.05 | 44.13 | 65.18 | 162.70 | 227.88 |
| | CD2 | 20.01 | 45.17 | 65.18 | 175.51 | 240.69 |
| | CC2 | 19.77 | 36.95 | 56.72 | 132.92 | 189.64 |
| | CB2 | 23.50 | 36.46 | 59.96 | 114.97 | 174.93 |
| Clinically | CA2 | 20.69 | 44.63 | 65.32 | 80.92 | 146.24 |
| Complex | CE1 | 21.26 | 33.75 | 55.01 | 159.10 | 214.11 |
| | CD1 | 15.31 | 41.90 | 57.21 | 151.40 | 208.61 |
| | CC1 | 16.00 | 35.10 | 51.10 | 126.91 | 178.01 |
| | CB1 | 16.17 | 34.99 | 51.16 | 118.45 | 169.61 |
| | CA1 | 22.39 | 40.22 | 62.61 | 72.76 | 135.37 |
| Behavioral | BB2 | 11.30 | 33.26 | 44.56 | 117.96 | 162.52 |
| Symptoms | BA2 | 18.34 | 41.18 | 59.52 | 101.56 | 161.08 |
| and Cognitive | BB1 | 14.93 | 32.83 | 47.76 | 114.30 | 162.06 |
| Performance | BA1 | 13.60 | 31.57 | 45.17 | 86.06 | 131.23 |
| | PE2 | 15.11 | 39.76 | 54.87 | 163.58 | 218.45 |
| | PD2 | 12.09 | 38.01 | 50.10 | 163.38 | 213.48 |
| | PC2 | 8.14 | 33.51 | 41.65 | 124.90 | 166.55 |
| | PB2 | 15.49 | 38.95 | 54.44 | 118.83 | 173.27 |
| Reduced | PA2 | 5.50 | 35.91 | 41.41 | 73.16 | 114.57 |
| Physical Functioning | PE1 | 19.91 | 36.07 | 55.98 | 161.23 | 217.21 |
| i directorning | PD1 | 16.18 | 33.58 | 49.76 | 147.31 | 197.07 |
| | PC1 | 14.07 | 36.94 | 51.01 | 123.74 | 174.75 |
| | PB1 | 12.49 | 31.80 | 44.29 | 95.60 | 139.89 |
| | PA1 | 14.32 | 32.42 | 46.74 | 70.77 | 117.51 |

Table A2
Ranges for Point Values for Quality Measures, Using Four Quarter Average
Distributions¹

| 0 - 12 - 14 - 12 - 12 | For QM | values | Nl (OM inter- |
|--|---------|--------|------------------------|
| Quality Measure | Between | And | Number of QM points is |
| Percentage of SNF residents with | 0.0000 | 0.0000 | 100 |
| pressure ulcers/pressure injuries that | 0.0001 | 0.0219 | 80 |
| are new or worsened (short-stay) | 0.0220 | 0.0395 | 60 |
| | 0.0396 | 0.0647 | 40 |
| | 0.0648 | 1.0000 | 20 |
| Rate of successful return to home and | 0.6336 | 1.0000 | 150 |
| community from a SNF (short-stay) | 0.5976 | 0.6335 | 135 |
| | 0.5697 | 0.5975 | 120 |
| | 0.5453 | 0.5696 | 105 |
| | 0.5173 | 0.5452 | 90 |
| | 0.4917 | 0.5172 | 75 |
| | 0.4609 | 0.4916 | 60 |
| | 0.4262 | 0.4608 | 45 |
| | 0.3763 | 0.4261 | 30 |
| | 0.0000 | 0.3762 | 15 |
| Percentage of residents whose need | 0.0000 | 0.0719 | 150 |
| for help with daily activities has increased (long-stay) | 0.0720 | 0.0956 | 135 |
| increased (long-stay) | 0.0957 | 0.1141 | 120 |
| | 0.1142 | 0.1296 | 105 |
| | 0.1297 | 0.1441 | 90 |
| | 0.1442 | 0.1589 | 75 |
| | 0.1590 | 0.1759 | 60 |
| | 0.1760 | 0.1978 | 45 |
| | 0.1979 | 0.2323 | 30 |
| | 0.2324 | 1.0000 | 15 |

24

| Quality Measure | For QM values | | |
|--|---------------|--------|------------------------|
| | Between | And | Number of QM points is |
| Percentage of residents who have/had a catheter inserted and left in their bladder (long-stay) | 0.0000 | 0.0050 | 100 |
| | 0.0051 | 0.0126 | 80 |
| | 0.0127 | 0.0217 | 60 |
| | 0.0218 | 0.0356 | 40 |
| | 0.0357 | 1.0000 | 20 |
| Percentage of residents with a urinary tract infection (long-stay) | 0.0000 | 0.0070 | 100 |
| | 0.0071 | 0.0160 | 80 |
| | 0.0161 | 0.0272 | 60 |
| | 0.0273 | 0.0452 | 40 |
| | 0.0453 | 1.0000 | 20 |
| Percentage of residents experiencing | 0.0000 | 0.0134 | 100 |
| one or more falls with major injury | 0.0135 | 0.0246 | 80 |
| (long-stay) | 0.0247 | 0.0356 | 60 |
| | 0.0357 | 0.0514 | 40 |
| | 0.0515 | 1.0000 | 20 |
| Percentage of residents who got an | 0.0000 | 0.0478 | 150 |
| antipsychotic medication (long-stay) | 0.0479 | 0.0749 | 135 |
| | 0.0750 | 0.0960 | 120 |
| | 0.0961 | 0.1137 | 105 |
| | 0.1138 | 0.1321 | 90 |
| | 0.1322 | 0.1508 | 75 |
| | 0.1509 | 0.1746 | 60 |
| | 0.1747 | 0.2039 | 45 |
| | 0.2040 | 0.2538 | 30 |
| | 0.2539 | 1.0000 | 15 |
| Percentage of residents who got | 0.0000 | 0.0000 | 100 |
| antipsychotic medication for the first | 0.0001 | 0.0096 | 80 |
| time (short-stay) | 0.0097 | 0.0168 | 60 |
| | 0.0169 | 0.0289 | 40 |
| | 0.0290 | 1.0000 | 20 |

| Quality Measure | For QM values | | |
|--|---------------|--------|------------------------|
| | Between | And | Number of QM points is |
| Percentage of residents whose ability | 0.0000 | 0.0821 | 150 |
| to move independently worsened (long-stay) | 0.0822 | 0.1121 | 135 |
| | 0.1122 | 0.1350 | 120 |
| | 0.1351 | 0.1568 | 105 |
| | 0.1569 | 0.1760 | 90 |
| | 0.1761 | 0.1955 | 75 |
| | 0.1956 | 0.2153 | 60 |
| | 0.2154 | 0.2394 | 45 |
| | 0.2395 | 0.2747 | 30 |
| | 0.2748 | 1.0000 | 15 |
| Percentage of high-risk residents with pressure ulcers (long-stay) | 0.0000 | 0.0377 | 100 |
| | 0.0378 | 0.0584 | 80 |
| | 0.0585 | 0.0783 | 60 |
| | 0.0784 | 0.1057 | 40 |
| | 0.1058 | 1.0000 | 20 |
| Percentage of residents who improved | 0.8276 | 1.0000 | 150 |
| in their ability to move around on their own (short-stay) | 0.7745 | 0.8275 | 135 |
| | 0.7365 | 0.7744 | 120 |
| | 0.7039 | 0.7364 | 105 |
| | 0.6738 | 0.7038 | 90 |
| | 0.6428 | 0.6737 | 75 |
| | 0.6091 | 0.6427 | 60 |
| | 0.5664 | 0.6090 | 45 |
| | 0.5015 | 0.5663 | 30 |
| | 0.0000 | 0.5014 | 15 |

| Quality Measure | For QM values | | North an of ONA a sintain |
|--|---------------|--------|---------------------------|
| | Between | And | Number of QM points is |
| Percentage of short-stay residents who were re-hospitalized after a nursing home admission (short-stay) | 0.0000 | 0.1500 | 150 |
| | 0.1501 | 0.1770 | 135 |
| | 0.1771 | 0.1956 | 120 |
| | 0.1957 | 0.2115 | 105 |
| | 0.2116 | 0.2260 | 90 |
| | 0.2261 | 0.2403 | 75 |
| | 0.2404 | 0.2557 | 60 |
| | 0.2558 | 0.2743 | 45 |
| | 0.2744 | 0.3032 | 30 |
| | 0.3033 | 1.0000 | 15 |
| Percentage of short-stay residents who have had an outpatient emergency department (ED) visit (short-stay) | 0.0000 | 0.0475 | 150 |
| | 0.0476 | 0.0640 | 135 |
| | 0.0641 | 0.0768 | 120 |
| | 0.0769 | 0.0887 | 105 |
| | 0.0888 | 0.1000 | 90 |
| | 0.1001 | 0.1124 | 75 |
| | 0.1125 | 0.1271 | 60 |
| | 0.1272 | 0.1465 | 45 |
| | 0.1466 | 0.1759 | 30 |
| | 0.1760 | 1.0000 | 15 |

| Quality Measure | For QM values | | Normalis and COM and installa |
|---|---------------|----------|-------------------------------|
| | Between | And | Number of QM points is |
| Number of hospitalizations per 1,000 | 0.0000 | 0.8514 | 150 |
| resident days (long-stay) | 0.8515 | 1.1167 | 135 |
| | 1.1168 | 1.3112 | 120 |
| | 1.3113 | 1.4931 | 105 |
| | 1.4932 | 1.6759 | 90 |
| | 1.6760 | 1.8622 | 75 |
| | 1.8623 | 2.0642 | 60 |
| | 2.0643 | 2.3236 | 45 |
| | 2.3237 | 2.7286 | 30 |
| | 2.7287 | 1000.000 | 15 |
| Number of outpatient emergency department (ED) visits per 1,000 resident days (long-stay) | 0.0000 | 0.3468 | 150 |
| | 0.3469 | 0.4968 | 135 |
| | 0.4969 | 0.6214 | 120 |
| | 0.6215 | 0.7381 | 105 |
| | 0.7382 | 0.8749 | 90 |
| | 0.8750 | 1.0265 | 75 |
| | 1.0266 | 1.2088 | 60 |
| | 1.2089 | 1.4696 | 45 |
| | 1.4697 | 1.9080 | 30 |
| | 1.9081 | 1000.000 | 15 |

¹For the hospitalization and ED visit measures, points are based on data from 2017Q4–2018Q3. For MDS-based measures except for the short-stay pressure ulcer/pressure injury measure, points are based on data from 2017Q4–2018Q3. For the short-stay pressure ulcer/pressure injury measure, points are based on data from 2019Q1–2019Q4. For the successful return to home and community from a SNF measure, points are based on data from 2016Q4 through 2017Q3.

Having a greater number of QM points corresponds to better performance. More points are awarded for having a lower QM rate for all measures except functional improvement and successful community discharge where higher rates correspond to better performance.

Specifications for Turnover Measures


In January 2022, CMS will begin posting staff turnover information on the percentage of nursing staff and number of administrators that stopped working at the nursing home over a 12-month period on the *Medicare.gov Care Compare website*. Three turnover measures will be posted: total nurse, registered nurse (RN), and nursing home administrator turnover. Turnover information will be used in the *Five-Star Quality Rating System* starting in July 2022.

The turnover measures are created using data from the Centers for Medicare and Medicaid Services (CMS) Payroll-Based Journal (PBJ) System. Using data submitted through PBJ, annual turnover measures for RNs, total nurses (RNs, licensed practical/licensed vocational nurses (LPNs), and nurse aides), and nursing home administrators are constructed. The PBJ job codes included in turnover measures for RNs and total nurses are consistent with those used for the staffing level measures reported on the <u>Medicare.gov Care Compare website</u>. Specifically, below are the definitions that are used for the staff types included in the turnover measures:

- RNs: Includes RN director of nursing (job code 5), RNs with administrative duties (job code 6), and RNs (job code 7)
- Total Nurses: Includes RN director of nursing (job code 5), RNs with administrative duties (job code 6), RNs (job code 7), LPNs with administrative duties (job code 8), LPNs (job code 9), certified nurse aides (job code 10), aides in training (job code 11), and medication aides/technicians (job code 12)
- Nursing home administrators (job code 1)

Note that the calculation of the annual turnover measures requires six consecutive quarters of PBJ data (See Figure 1). Data from a baseline quarter (prior to the first quarter covered by the turnover measures) along with the first two quarters covered by the turnover measures are used for identifying employees who are eligible to be included in the turnover measure. Data from the quarter after the four-quarter period covered by the turnover measures are used to identify the gaps in days worked in the last 60 days of the fourth quarter used for the turnover measure.

Figure 1: Time Period Used for Calculating Turnover Measures



Measure Specifications

PBJ does not collect information on employee termination dates. Nurse staff turnover measures are constructed using the daily staffing information submitted through the PBJ system. Turnover is identified based on gaps in days worked, allowing creation of a turnover measure that is defined the same way across all nursing homes and that does not depend on termination dates reported by nursing homes. Individuals are identified based on the employee system ID and nursing home identifiers in the PBJ data.

- **Denominator:** The turnover measures include only individuals who work at least 120 hours in a 90-day period across the baseline quarter (the quarter prior to the first quarter used in the turnover calculation) and the first two quarters used in the turnover calculation. For example, the turnover calculation for calendar year 2020 includes in the denominator, individuals who worked 120 or more hours in any 90-day period with the first workday of the 90-day period occurring in 2019Q4-2020Q2 (October 1, 2019 through June 30, 2020). This specification excludes individuals who work infrequently (e.g., occasionally covering shifts at a nursing home). Note that both regular employees and agency staff are included in the turnover measure if they work sufficient hours to be eligible for the denominator.
- *Numerator:* Individuals who no longer work at the nursing home are defined as eligible individuals who have a period of at least 60 consecutive days in which they do not work at all. The 60-day gap must start during the period covered by the turnover measure. This lengthy period without any reported work hours suggests that the individual is no longer working at the nursing home. For example, the numerator for turnover in 2020 includes eligible employees who had a 60-day gap that started anytime during the year. The turnover date is defined as the last workday prior to the start of the 60-day gap. Note that data from the quarter after the period covered by the turnover measure are required to identify gaps that start within 60 days of the end of the period covered by the turnover measure. For example, data from 2021Q1 are used to identify 60-day gaps that started between November 2, 2020 and December 31, 2020.

Note that individuals who return to the nursing home after a gap of more than 60 days can have multiple 'employment spells' used in the turnover calculation if they meet the eligibility requirement for subsequent employment spell(s). Essentially, they are treated as new employees.

- Exclusions: Several types of nursing-home level exclusion criteria are applied:
 - o Nursing homes that are not included in the PBJ public use file (PUF) for one or more of the quarters of data used to calculate the turnover measures, using the current exclusion rules for the staffing domain⁹ (see discussion in the staffing domain section above for more details) are excluded. The PUF data are available at https://data.cms.gov/. The PUFs only include data that were received by the reporting deadline (which is 45 days after the last day in the quarter) and exclude data from nursing homes that had aggregate nurse staffing levels for the quarter that were considered aberrant. Additionally, if a nursing home has no resident census information (derived from MDS assessments and needed for the calculation of staffing levels), the nursing home is excluded. These are the same exclusion rules used in the Five-Star Quality Rating System.
 - O Nursing homes are excluded from the total nurse staffing and RN turnover measures if they have fewer than five eligible nurses (RNs, LPNs and nurse aides) in the denominator. The purpose of this exclusion rule is to increase the stability of the turnover measures. Note that for the nursing home administrator turnover measure, the minimum requirement is one eligible administrator since most nursing homes have only one nursing home administrator.
 - o For the total nurse staffing and RN turnover measures, nursing homes with 100 percent daily total nurse staffing turnover for any day in the study period on which there were at least five eligible nurse staff are excluded. 100 percent daily turnover is typically the result of changes in the employee IDs used by nursing homes. Since gaps in days worked are identified based on the employee and nursing home IDs reported in the PBJ data, a change in employee IDs can result in a 100 percent turnover rate on a particular day (i.e., the day that the nursing home started using the new identifier), which reflects the change in the employee IDs and not actual staff turnover.
 - o For the administrator turnover measure, nursing homes that submitted no administrator data for one or more of the six required quarters are excluded.
- *Turnover calculation:* Annual turnover measures are constructed. For the total nurse and RN turnover measures, the annual turnover percentage is calculated using this formula:

(Total number of employment spells that ended in turnover)/(Total number of eligible employment spells)

Using this specification, the maximum turnover rate is 100 percent.

Nursing home administrator turnover is measured as the *total number of administrators that left the nursing home during the period covered by the turnover measures*. This measure is equivalent to the numerator of the total nurse and RN turnover measures.

⁹ Note that the staffing exclusion rules were changed in January 2022, so there are some small differences in the nursing homes that qualify for the PUF using the current criteria relative to the nursing homes that are in the publicly available PUFs.

Specifications for Weekend Staffing Measures

In January 2022, CMS will begin posting information on the level of total nurse and registered nurse (RN) staffing on weekends provided by each nursing home over a quarter on the <u>Medicare.gov Care</u> <u>Compare website</u>. Two measures will be posted: total number of nurse staff hours per resident day on the weekend and total number of RN hours per resident day on the weekend.

Weekend total nurse staffing and weekend RN staffing are calculated in a similar way to the full-week staffing levels that are currently reported on the <u>Medicare.gov Care Compare website</u> and described previously. Specifically, to calculate weekend staffing, the nursing hours reported through PBJ and the MDS census are both aggregated (summed) across all weekend days (Saturdays and Sundays) in the quarterly reporting period. The quarterly reported weekend nurse staffing hours per resident day are then calculated by dividing the aggregate reported weekend hours by the aggregate weekend resident census. Only weekend days with at least one resident are included in the calculations.

- *Weekend Staffing Exclusions:* The same exclusion criteria are applied for the full-week and weekend staffing level measures.
 - Full-week or weekend total nurse staffing (job codes 5-12), aggregated over all days (or weekend days) in the quarter with at least one resident, is excessively high (>12 hours per resident day).
 - Full-week or weekend nurse aide staffing (job codes 10-12), aggregated over all days (or weekend days) in the quarter with at least one resident, is excessively high (>5.25 hours per resident day).
 - Full-week or weekend total nurse staffing (job codes 5-12), aggregated over all days (or weekend days) in the quarter with at least one resident, is zero (0 hours per resident day).

Note that the exclusion criteria are not applied separately for weekend staffing. For example, if full-week nurse staffing is 11 hours per resident per day (i.e., not excessively high), but weekend nurse staffing is 12.5 hours per resident per day, then both full-week and weekend staffing will be excluded, with "Not Available" displayed on the *Medicare.gov Care Compare website*. Similarly, if a nursing home submits PBJ data indicating full-week staffing of 14 hours per resident per day (i.e., greater than the 12-hour threshold), both full-week and weekend nurse staffing will be excluded ("Not Available" displayed), even if the weekend nurse staffing levels are less than the 12-hour threshold.

• Case-Mix Adjustment of Weekend Staffing Levels: CMS adjusts the reported weekend staffing levels in the same way as full-week staffing using the Resource Utilization Group (RUG-IV) case-mix system and data from the CMS Staff Time Resource Intensity Verification (STRIVE) Study to assign case-mix RN, LPN, and nurse aide minutes associated with each RUG-IV group (using the 66-group version of RUG-IV). CMS found that the resident RUG-IV distribution on weekends was almost identical to that for the full week (correlations of >0.99); thus, case-mix adjustment of weekend nurse staffing levels uses the weekend reported staffing levels and the full-week distribution of resident case-mix.